

[<< Back](#)

Programming

Background

[The History of Programming - \[DevCon 2016\]](#)[John Backus](#)[Hypercard](#)

Languages

Artistic Languages

[Hydra](#)[Processing](#)

C++

[Learn CCP](#)[Mini Project: How to program a GPU? | CUDA C/C++](#)

Lua

[lua.org](#)

Pyhon

[Automate the boring stuff](#)[Mooc](#)[Managing Multiple Python Versions With pyenv](#)[Matplotlib](#)

Copy all images from folder and child folders

```
1.  import os
2.  import shutil
3.  def copy_images_and_parent_folder(source_folder, destination_folder):
4.      # Create the destination folder if it doesn't exist
```

```
5.     if not os.path.exists(destination_folder):
6.         os.makedirs(destination_folder)
7.         # Walk through the source folder and its subfolders
8.         for root, dirs, files in os.walk(source_folder):
9.             for file in files:
10.                # Check if the file is an image (based on file extension)
11.                if file.lower().endswith(('.png', '.jpg', '.jpeg',
12.                '.gif', '.bmp')):
13.                    source_path = os.path.join(root, file)
14.                    destination_path = os.path.join(destination_folder,
15.                    file)
16.                    shutil.copy2(source_path, destination_path)
17.                    print(f"Copied {file} to {destination_folder}")
18.                # Copy the parent folder from the source to the destination
19.                parent_folder = os.path.dirname(source_folder)
20.                parent_folder_name = os.path.basename(parent_folder)
21.                destination_parent_folder = os.path.join(destination_folder,
22.                parent_folder_name)
23.                if not os.path.exists(destination_parent_folder):
24.                    shutil.copytree(parent_folder, destination_parent_folder)
25.                    print(f"Copied parent folder: {parent_folder_name}")
26.                # Set the source folder path (change to the desired folder)
27.                source_folder_path = "/path/to/your/source/folder"
28.                # Set the destination folder path (create a new folder or use an
29.                existing one)
30.                destination_folder_path = "/path/to/your/destination/folder"
31.                # Call the function to copy images and the parent folder
32.                copy_images_and_parent_folder(source_folder_path,
33.                destination_folder_path)
34.    }();
```

Replace “/path/to/your/source/folder” with the actual path to the folder containing your images, and “/path/to/your/destination/folder” with the desired destination folder. This script will copy image files source to the destination.

Git

[Git from the Bottom Up](#)
[ProGit Book](#)

From:
<http://floriandheer.com/wiki/> - Brain II

Permanent link:
http://floriandheer.com/wiki/doku.php?id=start:knowledge:computer_science:programming

Last update: 2025/03/24 09:57



